



**GROWMAX WATER™**  
Perfect Water for Plants and Gardens

WATER SYSTEMS FOR HYDROPONICS AND GARDENING

## SUPER GROW 800 L/h

Extra High Capacity  
2 Stage Filter system




• ENGLISH



Don't forget to register your system online  
and obtain your **2 year warranty** at:  
[www.GrowmaxWater.com](http://www.GrowmaxWater.com)

**ENGLISH:**



**Description:**

This system is designed to be a stand alone filter for immediate removal of chlorine and sediment from your water. It is rated at up to 99% chlorine removal and can clean up to 90% of the sediment particles above 5 microns. Having chlorine and sediment free water is essential to growing healthy plants and maintaining beneficial micro-organisms, bacteria and fungi in your root zone and growing media. These microbes cannot survive in the presence of chlorine. Chlorine free water is also essential for organic fruits and vegetables, hydroponics and any bio-organic gardening method in general. This filter is not designed to lower the Parts Per Million (PPM) of your water. The majority of the PPM are minerals which can only be removed with Reverse Osmosis systems.



## SUPER GROW • Setup:

1. Main Unit
2. Garden hose connector
3. Sediment filter
4. Green coconut carbon filter
5. Garden hose connector



## Before Installation/Precaution!

**\*Note:** Do not install the system where the incoming water pressure may be more than 90psi (6 k/cm<sup>2</sup>). If unsure, check the pressure with a pressure gauge, available at your local hardware store. If your water pressure is more than 90psi (6 k/cm<sup>2</sup>) install a pressure regulator, available at your Grow Max Water dealer or hardware store. Do not use with hot water.

## How to install the SUPER GROW unit:

- 1) Begin by connecting your garden hose to the quick connect adaptor on the inlet (right side) of the system.
- 2) Connect your garden hose to the quick connect adaptor on the outlet (left side) of the system.
- 3) Before using the system you will need to flush out any carbon fines and particulates. You simply open the water and flush out the system for 5 minutes letting the water go to the drain.

**You are now ready to use your system!**

## Filter Changes:

Our green carbon filter is rated to produce approximately 7,000 gallons (27,000 liters) of treated water and approximately 6 to 9 months, whichever occurs first.

This is based on a flow rate of 2 Gallons per Minute (7.75 Liters per minute) and a source water of 1ppm (part per million) of chlorine. Otherwise, it is recommended to change out both filters at the same time. Replacements are available at your Grow Max Water dealer or at [www.GrowMaxWater.com](http://www.GrowMaxWater.com)

## Replacements:



## Accessories:

- \* **Ultraviolet sterilization Kit**
- \* **Float Valve Kit** - For use when filling larger tanks.

Replacements and accessories are available at your Growmax Water dealer or at [www.GrowmaxWater.com](http://www.GrowmaxWater.com)

**Warranty:**

A one year warranty comes with each system and protects against manufacturer defects on all components. The warranty does not include obstructed filters due to lack of regular maintenance or due to excessive sediment or chlorine in your water. The warranty also does not include damage to the unit from use outside of normal grow and garden installation parameters.

**Please see below how to ADD an  
EXTRA ONE YEAR to your WARRANTY.**


**Technical Support and Contact: ENGLISH ONLY.**

If you have a particular application or setup question, please contact  
Growmax Water IN ENGLISH ONLY direct at:

[support@growmaxwater.com](mailto:support@growmaxwater.com)

**\*Register your product online to  
obtain your  
2 YEAR product warranty!**

**Go to: [www.GrowmaxWater.com](http://www.GrowmaxWater.com)**



**GROW MAX WATER™**

Perfect Water for Plants and Gardens

WATER SYSTEMS FOR HYDROPONICS AND GARDENING



Visit us on the web at: [www.GrowmaxWater.com](http://www.GrowmaxWater.com)